

MLLG-LED-HT80-50-110-[V]

50 Watt LED High Temperature Light

Project Name _____



DETAILS

The HT80-50 High Temperature Fixture is a perfect combination of high quality, value, powerful LED lighting rated for temperatures up to 176F. This 50 watt high temperature LED Fixture is designed with a large heat sink and is 3G vibration tested.

OVERVIEW	
SKU	MLLG-LED-HT80-50-110-[V]
Watts	50
Lumens	6500
Lumens Per Watt (Efficacy)	130
Color Temperature	5000K
Voltage	100V-277V 277V-480V

PRODUCT DIMENSIONS

Product Dimensions	12.1 X 14.4 X 9.6 in
Product Weight	17.2 lbs

PRODUCT SKU VARIATIONS

SKU	Voltage
MLLG-LED-HT80-50-50-110	100V-277V
MLLG-LED-HT80-50-50-110-HV	277V-480V



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191
Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1317

MLLG-LED-HT80-50-110-[V]

50 Watt LED High Temperature Light

Project Name _____



PRODUCT SPECIFICATIONS		
	Watts	50
	Lumens	6500
	Color Temperature	5000K
	CRI	70+
	Replaces	175 Watt Metal Halide
	Voltage	100-277 277-480
	Power Factor (PF)	.95
	THD	20% Max
	Dimming	No
	Power Factor (PF)	50 / 60 hz
	IP Rating	IP66
	IK Rating	IK10
	Rated Life	100,000 (L70) hours
	Certifications	ETL Listed ROHS CB
	Warranty	5
	Mount	Eye-Hook Trunnion
	Color Options	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1317

MLLG-LED-HT80-50-110-[V]

50 Watt LED High Temperature Light

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
175	50	\$70.85	\$354.25

🔍 PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-LED-HT80-50-110-[V]	50	6500	130
MLLG-LED-HT80-100-50-110-[V]	100	13000	130
MLLG-LED-HT80-150-50-110-[V]	150	19500	130
MLLG-LED-HT80-200-50-110-[V]	200	26000	130
MLLG-LED-HT80-300-50-90-[V]	300	39000	130
MLLG-LED-HT80-450-50-90-[V]	450	58500	130

💡 AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
50	0.42	0.21	0.18	0.10



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1317