

MLLG-YA-LED-PTP2-300-[V]

300 Watt LED Pole Light

Project Name _____



DETAILS

300 Watt LED post top fixture produces 39000 replacing 1000 Watt metal halide. This post-top fixture has an aluminum body/heatsink and a Polycarbonate lens. The fixture comes in a bronze finish. Photocell is included for dusk to dawn operations. This fixture is designed to be mounted on top of existing poles. A great option for parking lot, pathway or park lighting.

OVERVIEW

SKU	MLLG-YA-LED-PTP2-300-[V]
Watts	300
Lumens	39000
Lumens Per Watt (Efficacy)	130
Color Temperature	5000K
Voltage	100V-277V 277V-480V

PRODUCT DIMENSIONS

Product Weight	28 lbs
----------------	--------

PRODUCT SKU VARIATIONS

SKU	Voltage
MLLG-YA-LED-PTP2-300-50	100V-277V
MLLG-YA-LED-PTP2-300-50-HV	277V-480V



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1373

MLLG-YA-LED-PTP2-300-[V]

300 Watt LED Pole Light

Project Name _____



PRODUCT SPECIFICATIONS

OPTICAL	Watts	300
	Lumens	39000
	Color Temperature	5000K
	CRI	70+
	Replaces	1000 Watt Metal Halide
ELECTRICAL	Voltage	100-277 277-480
	Power Factor (PF)	> .90
	THD	< 20%
	Dimming	1-10V
	Power Factor (PF)	50-60Hz
CONSTRUCTION	IP Rating	IP65
	Operating Temperature	-40°F to +113°F
	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible ETL Listed ROHS
	Warranty	5
	Mount	2 3/8 in Pole
	Color Options	Bronze



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 www.ledlightingsupply.com  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1373

MLLG-YA-LED-PTP2-300-[V]

300 Watt LED Pole Light

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
1,000	300	\$396.76	\$1,983.80

🔍 PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-WD-LED-BARN-45-50	45	6300	140
LLS-X-STL-4-50A-CC	30 40 50	4200 5300 6500	133
MLLG-AL-LED-LIN-SWL-44-CC-MS	22 28 36 44	3102 3948 5076 6204	141
MLLG-LN-LED-EXIT2-2L	2.4		NaN
LLS-HD-HM3-450-50-[V]-T5	450	69750	155
LLS-HD-HM3-600-50-[V]-T5	600	90000	150
LLS-HD-HM3-750-50-[V]-T5	750	112500	150
MLLG-YA-LED-PT-100-CC	60 80 100	7800 10400 13000	130
LLS-LN-4FT-T8-18-5-C-25P	18	2160	120
LLS-LN-8FT-T8-36-5-F-25P	36	4320	120
LLS-LN-8FT-T8-44-65-C-25P	44	5700	130

💡 AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
300	2.50	1.25	1.08	0.63



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com 📞 (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1373