## MLLG-LN-LED-WPS-26-50-PC

26 Watt LED Security Wall Pack

Project Name \_\_\_\_\_



#### **DETAILS**

26 watts architectural LED wall pack is a commercial-grade outdoor fixture. Its impact-resistant polycarbonate lens shields the fixture and helps to prevent glare. Years of trouble-free operation with durable die-cast housing and anti-static powder-coated paint. Dusk-to-dawn operation with the built-in photocell.

OVERVIEW		
sku	MLLG-LN-LED-WPS-26-50-PC	
Watts	26	
Lumens	3588	
Lumens Per Watt (Efficacy)	138	
Color Temperature	5000K	
Voltage	100V-277V	



Product Weight 5 lbs



	Current Amp Draw			
Watts	120V	240V	277V	480V
26	0.22	0.11	0.09	0.05













# MLLG-LN-LED-WPS-26-50-PC

26 Watt LED Security Wall Pack

Project Name \_\_\_\_\_



PRODUCT SPECIFICATIONS			
OPTICAL	Watts	26	
	Lumens	3588	
	Color Temperature	5000K	
	CRI	80+	
	Replaces	100 Watt Metal Halide	
ELECTRICAL	Voltage	100-277	
	Power Factor (PF)	> .90	
	THD	< 20%	
	Dimming	No	
	Power Factor (PF)	50-60Hz	
CONSTRUCTION	IP Rating	IP65	
	Rated Life	50,000 (L70) hours	
	Certifications	Rebate Eligible   UL Listed   ROHS	
	Warranty	5	
	Mount	Wall	
	Color Options	Bronze	



# MLLG-LN-LED-WPS-26-50-PC

26 Watt LED Security Wall Pack

Project Name \_\_\_\_\_



### **4** ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
100	26	\$41.94	\$209.72

## **PRODUCT FAMILY MODELS**

SKU	Watts	Lumens	Lumens/Watt
MLLG-LN-LED-WPS-12-50-PC-EMB	12	960	80
MLLG-LN-LED-WPS-26-50-PC	26	3588	138



Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060