MLLG-E-LED-EXPLA-200-50-[V]-C1D2

200 Watt Square Explosion Proof LED Light

Project Name _____



DETAILS

Our Square A Series C1D2 Explosion Proof fixtures come in both 120-277v and 277-480v configurations. At 140 lumens per watt they are an efficient and safe replacement solution for environments where ignitable gases or vapors may be present in the air under abnormal conditions.

OVERVIEW			
SKU	MLLG-E-LED-EXPLA-200-50-[V]- C1D2		
Watts	200		
Lumens	28000		
Lumens Per Watt (Efficacy)	140		
Color Temperature	5000K		
Voltage	100V-277V 277V-480V		



▶ PRODUCT DIMENSIONS

Product Weight 26 lbs



UL SPECS

UL 844 Hazardous Locations		
Class I, Division 2, Groups A, B, C, D		
Class II, Division 1, Groups E, F, G		
Class II, Division 2, Groups F, G		
Class III		
UL 1598 Suitable for Wet Locations		
UL 1598A Marine Outside Type		
ABS		



MLLG-E-LED-EXPLA-200-50-[V]-C1D2

200 Watt Square Explosion Proof LED Light

Project Name _____



PRODUCT SPECIFICATIONS				
OPTICAL	Watts	200		
	Lumens	28000		
	Color Temperature	5000K		
	CRI	70+		
	Replaces	400 Watt Metal Halide		
ELECTRICAL	Voltage	100-277 277-480		
	Power Factor (PF)	>.95		
	THD	< 10%		
	Dimming	1-10V		
	Power Factor (PF)	50-60Hz		
CONSTRUCTION	IP Rating	IP66		
	IK Rating	IK10		
Rated Lin		50,000 (L70) hours		
	Certifications	Rebate Eligible ETL Listed ROHS CB		
	Warranty	5		
	Mount	Yoke 3/4 in NPT Pendant		
	Color Options	Gray		



Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

MLLG-E-LED-EXPLA-200-50-[V]-C1D2

200 Watt Square Explosion Proof LED Light

Project Name _____



4 ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	200	\$113.36	\$566.80

PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-E-LED-EXPLA-60-50-[V]-C1D2	60	8400	140
MLLG-E-LED-EXPLA-80-50-[V]-C1D2	80	11200	140
MLLG-E-LED-EXPLA-100-50-[V]-C1D2	100	14000	140
MLLG-E-LED-EXPLA-150-50-[V]-C1D2	150	21000	140
MLLG-E-LED-EXPLA-200-50-[V]-C1D2	200	28000	140
MLLG-E-LED-EXPLA-250-50-[V]-C1D2	250	35000	140
MLLG-E-LED-EXPLA-300-50-[V]-C1D2	300	42000	140
MLLG-E-LED-EXPLA-400-50-[V]-C1D2	400	56000	140

SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT





Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060