

# MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]

400 Watt LED Area Flood Light

Project Name \_\_\_\_\_



### DETAILS

The IMF-400 is an excellent option for sports fields, arenas, and industrial areas. This is our best-selling flood light family for a reason with tons of light output and versatility. This 400 watts Modular LED Flood Light is a powerful solution for outdoor lighting, suitable for parking lots, sports fields, and industrial areas. It delivers 56,000 lumens with an efficiency of 140 lumens per watt. Designed to withstand tough conditions, it provides reliable performance for demanding environments.

Standard Finish

Marine Grade

OVERVIEW	
SKU	MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]
Wattage	400
Lumens	56000
Lumens Per Watt (Efficacy)	140
Color Temperature	4000K   5000K
Voltage	100V-277V   277V-480V



### PRODUCT DIMENSIONS

Product Dimensions	13.25 in L x 6.3 in W x 17.4 in H
Product Weight	24 lbs
Cord Length	5 Feet



### PRODUCT SKU VARIATIONS

SKU	Features	Voltage
MLLG-AG-LED-IMF-400-5-60-TR	Standard Finish	100V-277V
MLLG-AG-LED-IMF-400-5-60-TR-HV	Standard Finish	277V-480V
MLLG-AG-LED-IMF-400-5-60-TR-MG	Marine Grade	100V-277V



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

[www.ledlightingsupply.com](http://www.ledlightingsupply.com) (888) 423-3191  
Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1654

# MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]

400 Watt LED Area Flood Light

Project Name \_\_\_\_\_



PRODUCT SPECIFICATIONS		
	Wattage	400
	Lumens	56000
	Color Temperature	4000K   5000K
	CRI	70+
	Beam Angles	60°(std), 10°, 15°, 30°, 45°
	Replaces	1000 Watt Metal Halide
	Voltage	100-277   277-480
	Dimming	1-10V
	Surge Protection	6kV line-line, 10kV line-earth
	Power Factor (PF)	50/60 hz
	Housing	Powder Coated Aluminum
	IP Rating	IP66
	IK Rating	IK08
	Operating Temperature	-22°F to +113°F
	Rated Life	176,000 (L70) hours
	Certifications	DLC Premium   ETL Listed   ROHS   CB   SASO EER
	Warranty	5
	Mount	Slip Fitter   Trunnion
	Color Options	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

[www.ledlightingsupply.com](http://www.ledlightingsupply.com) (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1654

# MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]

400 Watt LED Area Flood Light

Project Name \_\_\_\_\_



## ⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
1000	400	\$340.08	\$1,700.40



## 🔍 PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
MLLG-WD-LED-BARN-45-50	45	6300	140
MLLG-AG-LED-IMF-600-5-[Optic]-TR-[V]	600	84000	140

## 💡 AMP DRAW

Wattage	Current Amp Draw			
	120V	240V	277V	480V
400	3.33	1.67	1.44	0.83

## ⚡ SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 [www.ledlightingsupply.com](http://www.ledlightingsupply.com) ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1654