

MLLG-E-LED-EXPLC-80-50-[V]-C1D1

80 Watt Round Explosion Proof LED Light

Project Name _____




DETAILS

Our C Series C1D1 Explosion Proof fixtures come in both 120-277v and 277-480v configurations. At 140 lumens per watt they are an efficient and safe solution for environments where ignitable materials are present.

Explosion Proof C1D1

OVERVIEW	
SKU	MLLG-E-LED-EXPLC-80-50-[V]-C1D1
Wattage	80
Lumens	11200
Lumens Per Watt (Efficacy)	140
Color Temperature	5000K
Voltage	100V-277V 277V-480V



PRODUCT DIMENSIONS	
Product Dimensions	16 in D x 13.5 in H
Product Weight	39 lbs



UL SPECS	
UL 844 Hazardous Locations	
Class I, Division 1, Groups C,D	
Class I, Division 2, Groups A, B, C, D	
Class II, Division 1, Groups E, F, G	
Class II, Division 2, Groups F, G	
Class III	
UL 1598 Suitable for Wet Locations	
UL 1598A Marine Outside Type	
ABS	



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191
Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1746

MLLG-E-LED-EXPLC-80-50-[V]-C1D1

80 Watt Round Explosion Proof LED Light

Project Name _____



PRODUCT SPECIFICATIONS

	Wattage	80
	Lumens	11200
	Color Temperature	5000K
	CRI	70+
	Beam Angles	120°
	Replaces	250 Watt Metal Halide
	Voltage	100-277 277-480
	Power Factor (PF)	>.95
	THD	< 10%
	Dimming	1-10V
	Surge Protection	10kV
	Power Factor (PF)	50-60Hz
	Housing	Copper Free Aluminum
	IP Rating	IP66
	IK Rating	IK10
	Operating Temperature	-40°F to 140°F
	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible ETL Listed ROHS CB
	Warranty	5
	Mount	Yoke 3/4 in NPT Pendant
	Color Options	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1746

MLLG-E-LED-EXPLC-80-50-[V]-C1D1

80 Watt Round Explosion Proof LED Light

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
250	80	\$96.36	\$481.78

🔍 PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
MLLG-E-LED-EXPLC-40-50-C1D1	40	5600	140
MLLG-E-LED-EXPLC-60-50-[V]-C1D1	60	8400	140
MLLG-E-LED-EXPLC-80-50-[V]-C1D1	80	11200	140
MLLG-E-LED-EXPLC-100-50-[V]-C1D1	100	14000	140
MLLG-E-LED-EXPLC-150-50-[V]-C1D1	150	21000	140
MLLG-E-LED-EXPLC-200-50-[V]-C1D1	200	28000	140
MLLG-E-LED-EXPLC-250-50-[V]-C1D1	250	35000	140



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1746