MLLG-LS-LED-HBLIN4-165-50

165 Watt Linear LED High Bay

Project Name _____



DETAILS

165 Watt Linear LED High Bay - 22800 lumens provides exceptional lighting solutions, combining efficiency and durability for various industrial and commercial applications.

OVERVIEW			
SKU	MLLG-LS-LED-HBLIN4-165-50		
Watts	165		
Lumens	23100		
Lumens Per Watt (Efficacy)	140		
Color Temperature	5000K		
Voltage	100V-277V		



₽ PRODUCT DIMENSIONS

AMP DRAW

	Current Amp Draw			
Watts	120V	240V	277V	480V
165	1.38	0.69	0.60	0.34











MLLG-LS-LED-HBLIN4-165-50

165 Watt Linear LED High Bay

Project Name _____



PRODUCT SPECIFICATIONS				
OPTICAL	Watts	165		
	Lumens	23100		
	Color Temperature	5000K		
	CRI	80+		
	Replaces	400 Watt Metal Halide		
ELECTRICAL	Voltage	100-277		
	Power Factor (PF)	.93		
	THD	20% Max		
	Dimming	1-10V		
	Power Factor (PF)	50 / 60 hz		
CONSTRUCTION	Rated Life	100,000 (L70) hours		
	Certifications	Rebate Eligible UL Listed ROHS		
	Warranty	5		
	Mount	Chain-Cable (std)		
	Color Options	White		



MLLG-LS-LED-HBLIN4-165-50

165 Watt Linear LED High Bay

Project Name _____



4 ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	165	\$133.20	\$665.99

PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-LS-LED-HBLIN4-165-50	165	23100	140
MLLG-LS-LED-HBLIN4-WC-CC	110 165 220	15400 23100 30800	140

4 SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT



