MLLG-YA-LED-WPFCD-24-50

24 Watt Full Cutoff LED Wall Pack

Project Name



DETAILS

24 watts full cutoff LED wall pack has a die-cast aluminum housing and an impact-resistant polycarbonate lens. It is the perfect replacement for metal halide outdoor wall packs. The housing makes quick and easy installation with a removable hinge door and multiple points of entry.

OVERVIEW	
SKU	MLLG-YA-LED-WPFCD-24-50
Wattage	24
Lumens	3100
Lumens Per Watt (Efficacy)	129
Color Temperature	5000K
Voltage	100V-277V



▶ PRODUCT DIMENSIONS

Product Dimensions 11.7 X 3.6 X 8.6 in



AMP DRAW

Wattago		Current Amp Draw		
Wattage	120V	240V	277V	480V
24	0.20	0.10	0.09	0.05



MLLG-YA-LED-WPFCD-24-50

24 Watt Full Cutoff LED Wall Pack

Project Name



WebID: 1813

PRODUCT SPECIFICATIONS		
	Wattage	24
	Lumens	3100
	Color Temperature	5000K
	CRI	70+
	Replaces	100 Watt Metal Halide
	Voltage	100-277
	Power Factor (PF)	> .90
	THD	< 20%
	Power Factor (PF)	50-60Hz
	Housing	Powder Coated Die-Cast Aluminum
	IP Rating	IP65
	Operating Temperature	-40°F to +113°F
	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible ETL Listed ROHS
	Warranty	5
	Mount	Wall
	Color Options	Bronze



MLLG-YA-LED-WPFCD-24-50

24 Watt Full Cutoff LED Wall Pack

Project Name



♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
100	24	\$43.08	\$215.38

PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
MLLG-YA-LED-WPFCD-24-50	24	3100	129
MLLG-YA-LED-WPFCD-48-50	48	6400	133
MLLG-YA-LED-WPFCD-80-50	80	10300	129
MLLG-YA-LED-WPFCD-100-50	100	12900	129

