

MLLG-LN-LED-WPRFC-80-50

80 Watt Rotatable Full Cutoff LED Wall Pack

Project Name _____



DETAILS

80 watt rotatable head LED wall pack has a heavy-duty die-cast aluminum housing that has an anti-corrosion powder coat finish. The head(s) on these fixtures can rotate so you can custom set the distribution pattern. These fixtures are designed for outdoor locations with excellent impact, corrosion, and UV resistance. 1/2 in threaded conduit entry with coin plug.

OVERVIEW

SKU MLLG-LN-LED-WPRFC-80-50

Watts	80
Lumens	10400
Lumens Per Watt (Efficacy)	130
Color Temperature	5000K
Voltage	100V-277V

PRODUCT DIMENSIONS

Product Dimensions 5.7 X 9.2 X 5.2 in

Product Weight 8 lbs



AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
80	0.67	0.33	0.29	0.17



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1863

MLLG-LN-LED-WPRFC-80-50

80 Watt Rotatable Full Cutoff LED Wall Pack

Project Name _____



PRODUCT SPECIFICATIONS

	Watts	80
	Lumens	10400
	Color Temperature	5000K
	CRI	70+
	Replaces	150 Watt Metal Halide 250 Watt Metal Halide 400 Watt Metal Halide
	Voltage	100-277
	Power Factor (PF)	> .90
	THD	< 20%
	Dimming	1-10V
	Power Factor (PF)	50-60Hz
	IP Rating	IP65
	Rated Life	50,000 hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Wall
	Color Options	Bronze



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 www.ledlightingsupply.com  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1863

MLLG-LN-LED-WPRFC-80-50

80 Watt Rotatable Full Cutoff LED Wall Pack

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	80	\$181.38	\$906.88

🔍 PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-LN-LED-WPRFC-40-50	40	5200	130
MLLG-LN-LED-WPRFC-80-50	80	10400	130
MLLG-LN-LED-WPRFC-120-50	120	14400	120



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1863