

LLS-AL-WPFL-50/60/80-CC-PC

50 / 60 / 80 Watt Adjustable LED Wall Pack

Project Name _____



DETAILS

The 50 | 60 | 80 wattage adjustable and color adjustable 3000K | 4000K | 5000K LED flood wall pack has a heavy-duty die-cast aluminum housing and tempered glass lens. This fixture is designed for outdoor locations. This wall pack has excellent impact, corrosion, and UV resistance with the dark bronze polyester powder finish. The fixture is bronze in color. The housing has a removable hinge door and multiple entry points - making installation quick and easy. 1/2 in threaded conduit entry with coin plug.



Color Adjustable



Wattage Adjustable



Photocell

OVERVIEW

SKU	LLS-AL-WPFL-50/60/80-CC-PC
Wattage	50 60 80
Lumens	7750 9300 12400
Lumens Per Watt (Efficacy)	155
Color Temperature	3000K 4000K 5000K
Voltage	100V-277V

PRODUCT DIMENSIONS

Product Dimensions	14 X 9 X 7.1 in
Product Weight	10.3 lbs



AMP DRAW

Wattage	Current Amp Draw			
	120V	240V	277V	480V
50	0.42	0.21	0.18	0.10
60	0.50	0.25	0.22	0.13
80	0.67	0.33	0.29	0.17



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1866

LLS-AL-WPFL-50/60/80-CC-PC

50 / 60 / 80 Watt Adjustable LED Wall Pack

Project Name _____



PRODUCT SPECIFICATIONS

	Wattage	50 60 80
	Lumens	7750 9300 12400
	Color Temperature	3000K 4000K 5000K
	CRI	70+
	Beam Angles	110° Type 4
	Replaces	250 Watt Metal Halide
	Voltage	100-277
	Power Factor (PF)	> .90
	THD	< 20%
	Dimming	1-10V
	Power Factor (PF)	50-60Hz
	Housing	Powder Coated Die-Cast Aluminum
	IP Rating	IP65
	Operating Temperature	-40°F to +122°F
	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Wall
	Color Options	Bronze



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 www.ledlightingsupply.com  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1866

LLS-AL-WPFL-50/60/80-CC-PC

50 / 60 / 80 Watt Adjustable LED Wall Pack

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
250	50	\$113.36	\$566.80
250	60	\$107.69	\$538.46
250	80	\$96.36	\$481.78

🔍 PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
LLS-AL-WPFL-30/40/50-CC-PC	30 40 50	4500 6000 7500	150
LLS-AL-WPFL-50/60/80-CC-PC	50 60 80	7750 9300 12400	155
MLLG-AL-LED-WPFL-50-CC-EMB	50	7719	154
MLLG-AL-LED-WPFL-80-CC-EMB	80	12174	152

⚡ SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 1866