MLLG-LED-HBHT70-100-50-120

100 Watt LED High Temperature Light

Project Name _____



DETAILS

OVERVIEW				
SKU	MLLG-LED-HBHT70-100-50-120			
Watts	100			
Lumens	16000			
Lumens Per Watt (Efficacy)	160			
Color Temperature	5000K			
Voltage	100V-277V 277V-480V			

₽ PRODUCT DIMENSIONS

Product Weight 9 lbs



	Current Amp Draw			
Watts	120V	240V	277V	480V
100	0.83	0.42	0.36	0.21





MLLG-LED-HBHT70-100-50-120

100 Watt LED High Temperature Light

Project Name _____



PRODUCT SPECIFICATIONS				
OPTICAL	Watts	100		
	Lumens	16000		
	Color Temperature	5000K		
	CRI	70+		
	Replaces	250 Watt Metal Halide		
ELECTRICAL	Voltage	100-277 277-480		
	Power Factor (PF)	.90		
	THD	20% Max		
	Dimming	No		
	Power Factor (PF)	50 / 60 hz		
CONSTRUCTION	IP Rating	IP66		
	IK Rating	IK08		
	Operating Temperature	-22°F to 158°F		
	Rated Life	100,000 (L70) hours		
	Certifications	ETL Listed ROHS		
	Warranty	5		
	Mount	Eye-Hook Pendant		
	Color Options	Black		



MLLG-LED-HBHT70-100-50-120

100 Watt LED High Temperature Light

Project Name _____



4 ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
250	100	\$85.02	\$425.10

