

MLLG-LN-LED-VTJJ-21-50

21 Watt LED Vapor Tight Jelly Jar Light

Project Name _____



DETAILS

21 Watt Jelly Jar LED vapor proof fixture produces 2520 lumens at 120 lumens/watt replacing 100 Watt Metal Halide. It has a die-cast aluminum body and a Tempered Glass Dome with a Wire Guard. This vapor-proof fixture is impact-resistant.

OVERVIEW

SKU	MLLG-LN-LED-VTJJ-21-50
Watts	21
Lumens	2520
Lumens Per Watt (Efficacy)	120
Color Temperature	5000K
Voltage	100V-277V

PRODUCT DIMENSIONS

Product Weight 4 lbs

AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
21	0.18	0.09	0.08	0.04



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1979

MLLG-LN-LED-VTJJ-21-50

21 Watt LED Vapor Tight Jelly Jar Light

Project Name _____



PRODUCT SPECIFICATIONS

OPTICAL	Watts	21
	Lumens	2520
	Color Temperature	5000K
	CRI	80+
	Beam Angles	160°
	Replaces	100 Watt Metal Halide
ELECTRICAL	Voltage	100-277
	Power Factor (PF)	> .90
	Dimming	1-10V
	Power Factor (PF)	50-60Hz
CONSTRUCTION	IP Rating	IP65
	Operating Temperature	-22°F to 104°F
	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Surface Wall
	Color Options	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1979

MLLG-LN-LED-VTJJ-21-50

21 Watt LED Vapor Tight Jelly Jar Light

Project Name _____



ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
100	21	\$44.78	\$223.89



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 www.ledlightingsupply.com  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1979