MLLG-WD-LED-PANTH-2X4-WC-CC

34 / 38 / 45 Watt Adjustable 2x4 Troffer Light

Project Name



DETAILS

Troffers are a nice architectural alternative to LED back lit panels. Our troffers are wattage and color adjustable and are built to drop into standard t-grid ceilings.



Color Adjustable



Wattage Adjustable

| OVERVIEW | | |
|----------------------------|-----------------------------|--|
| sкu | MLLG-WD-LED-PANTH-2X4-WC-CC | |
| Wattage | 34 38 45 | |
| Lumens | 4250 4758 5715 | |
| Lumens Per Watt (Efficacy) | 125 | |
| Color Temperature | 3500K 4000K 5000K | |
| Voltage | 100V-277V | |







| \Matta | | Current Amp Draw | | | |
|---------|------|------------------|------|------|--|
| Wattage | 120V | 240V | 277V | 480V | |
| 34 | 0.28 | 0.14 | 0.12 | 0.07 | |
| 38 | 0.32 | 0.16 | 0.14 | 0.08 | |
| 45 | 0.38 | 0.19 | 0.16 | 0.09 | |
| | | | | | |















MLLG-WD-LED-PANTH-2X4-WC-CC

34 / 38 / 45 Watt Adjustable 2x4 Troffer Light

Project Name



WebID: 1981

| PRODUCT SPECIFICATIONS | | |
|------------------------|-----------------------|------------------------------------|
| | Wattage | 34 38 45 |
| | Lumens | 4250 4758 5715 |
| | Color Temperature | 3500K 4000K 5000K |
| | CRI | 80+ |
| | Beam Angles | 119° |
| | Replaces | Fluorescent Troffer |
| | Voltage | 100-277 |
| | Dimming | 1-10V |
| | Power Factor (PF) | 50 / 60 hz |
| | Housing | Aluminum Frame |
| | Operating Temperature | -14°F to +104°F |
| | Rated Life | 70,000 hours |
| | Certifications | Rebate Eligible UL Listed ROHS |
| | Warranty | 5 |
| | Mount | Recessed |
| | Color Options | White |



MLLG-WD-LED-PANTH-2X4-WC-CC

34 / 38 / 45 Watt Adjustable 2x4 Troffer Light

Project Name



♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

| Metal Halide Wattage | LED Wattage | 1 Year Energy Savings | 5 Year Energy Savings |
|----------------------|-------------|-----------------------|-----------------------|
| 0 | 34 | (\$19.27) | (\$96.36) |
| 0 | 38 | (\$21.54) | (\$107.69) |
| 0 | 45 | (\$25.51) | (\$127.53) |

PRODUCT FAMILY MODELS

| SKU | Wattage | Lumens | Lumens/Watt |
|-----------------------------------|---------|--------|-------------|
| MLLG-WD-LED-BARN-45-50 | 45 | 6300 | 140 |
| MLLG-AG-LED-IMF-600-5-[Optic]-TR- | [V] 600 | 84000 | 140 |

