

MLLG-LS-LED-HBLIN4-WC-CC

110 / 165 / 220 Watt Adjustable Linear LED High Bay

Project Name _____



DETAILS

110 / 165 / 220 Wattage Adjustable Linear LED High Bay provides exceptional lighting solutions, combining efficiency and durability for various industrial and commercial applications.

✓ Color Adjustable ✓ Wattage Adjustable

OVERVIEW

SKU	MLLG-LS-LED-HBLIN4-WC-CC
Watts	110 165 220
Lumens	15400 23100 30800
Lumens Per Watt (Efficacy)	140
Color Temperature	4000K 5000K
Voltage	100V-277V



PRODUCT DIMENSIONS

AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
110	0.92	0.46	0.40	0.23
165	1.38	0.69	0.60	0.34
220	1.83	0.92	0.79	0.46



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1982

MLLG-LS-LED-HBLIN4-WC-CC

110 / 165 / 220 Watt Adjustable Linear LED High Bay

Project Name _____



PRODUCT SPECIFICATIONS

OPTICAL	Watts	110 165 220
	Lumens	15400 23100 30800
	Color Temperature	4000K 5000K
	CRI	80+
	Replaces	400 Watt Metal Halide
ELECTRICAL	Voltage	100-277
	Power Factor (PF)	.93
	THD	20% Max
	Dimming	1-10V
	Power Factor (PF)	50 / 60 hz
CONSTRUCTION	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Chain-Cable (std)
	Color Options	White



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 www.ledlightingsupply.com  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1982

MLLG-LS-LED-HBLIN4-WC-CC

110 / 165 / 220 Watt Adjustable Linear LED High Bay

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	110	\$164.37	\$821.86
400	165	\$133.20	\$665.99
400	220	\$102.02	\$510.12

🔍 PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-LS-LED-HBLIN4-165-50	165	23100	140
MLLG-LS-LED-HBLIN4-WC-CC	110 165 220	15400 23100 30800	140



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1982