MLLG-LED-SBHO2-300-50B

300 Watt LED Billboard Light

| Project Name | | |
|--------------|--|--|



DETAILS

LED Lighting Supply billboard lights are a specific type of floodlight. They use specialized optics to project bright, high-quality light evenly across small and large billboards. Our billboard lights are mounted at the top or bottom of the outdoor sign. They are set back usually 4 to 8 feet from the face of the sign. You can easily replace metal halide billboard lights with LED for outdoor advertising.



Photocell

| OVERVIEW SKU MLLG-LED-SBHO2-300-50B | | |
|-------------------------------------|-----------------------|--|
| Watts | 300 | |
| Lumens | 48000 | |
| Lumens Per Watt (Efficacy) | 160 | |
| Color Temperature | 4000K 5000K | |
| Voltage | 100V-277V 277V-480V | |



▶ PRODUCT DIMENSIONS

| Product Dimensions | 24.61 in L X 11.93 in W X 3.22 in H |
|---------------------------|-------------------------------------|
| Product Weight | 16.76 lbs |













AMP DRAW

| Watts | Current Amp Draw | | | |
|-------|------------------|------|------|------|
| | 120V | 240V | 277V | 480V |
| 300 | 2.50 | 1.25 | 1.08 | 0.63 |



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

MLLG-LED-SBHO2-300-50B

300 Watt LED Billboard Light

Project Name



WebID: 2022

| PRODUCT SPECIFICATIONS | | |
|------------------------|-----------------------|---------------------------------|
| | Watts | 300 |
| | Lumens | 48000 |
| | Color Temperature | 4000K 5000K |
| | CRI | 70+ |
| | Beam Angles | Type 3, 5 |
| | Replaces | 1000 Watt Metal Halide |
| | Voltage | 100-277 277-480 |
| | Power Factor (PF) | > .92 |
| | THD | < 15% |
| | Dimming | 1-10V |
| | Surge Protection | 6kV line-line, 10kV line-earth |
| | Power Factor (PF) | 50-60Hz |
| | Housing | Die-Cast Aluminum |
| | IP Rating | IP65 |
| | IK Rating | IK08 |
| | Operating Temperature | -22°F to +113°F |
| | Rated Life | 244,000 (L70) hours |
| | Certifications | DLC Premium ETL Listed ROHS |
| | Warranty | 10 years |
| | Mount | Yoke Slip Fitter |
| | Color Options | Bronze |



MLLG-LED-SBHO2-300-50B

300 Watt LED Billboard Light

Project Name



WebID: 2022

♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

| Metal Halide Watts | LED Watts | 1 Year Energy Savings | 5 Year Energy Savings |
|--------------------|-----------|-----------------------|-----------------------|
| 1000 | 300 | \$396.76 | \$1,983.80 |

PRODUCT FAMILY MODELS

| SKU | Watts | Lumens | Lumens/Watt |
|------------------------|-------|--------|-------------|
| MLLG-LED-SBHO2-150-50B | 150 | 24000 | 160 |
| MLLG-LED-SBHO2-300-50B | 300 | 48000 | 160 |
| MLLG-LED-SBHO2-150-50 | 150 | 24000 | 160 |
| MLLG-LED-SBHO2-300-50 | 300 | 48000 | 160 |

