

LLS-AL-BLP-2X2-30A-CC-EM-2P

20 / 25 / 30 Wattage Adjustable LED Backlit Panel Light

Project Name _____



DETAILS

LED light panels are commercial lights designed to be installed inside a dropped ceiling / suspended ceiling system. These LED ceiling panels are versatile lighting solutions designed to replace fluorescent panels and troffers. They can also be mounted directly to a ceiling. They have an extremely low profile and feature a sleek design, making them well-suited for low-ceiling applications. LED panel lights can add style and sophistication to modern interiors, enhancing both the ambiance and functionality of any space.



Color Adjustable



Wattage Adjustable



Emergency Backup
Battery

OVERVIEW

SKU LLS-AL-BLP-2X2-30A-CC-EM-2P

Wattage 20 | 25 | 30

Lumens 2500 | 3125 | 3750

Lumens Per Watt (Efficacy) 125

Color Temperature 3500K | 4000K | 5000K

Voltage 100V-277V

PRODUCT DIMENSIONS

Product Dimensions 23.8 in X 23.8 in X 2.5 in

Product Weight 6.8 lbs



AMP DRAW

Wattage	Current Amp Draw			
	120V	240V	277V	480V
20	0.17	0.08	0.07	0.04
25	0.21	0.10	0.09	0.05
30	0.25	0.13	0.11	0.06



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

www.ledlightingsupply.com (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 2036

LLS-AL-BLP-2X2-30A-CC-EM-2P

20 / 25 / 30 Wattage Adjustable LED Backlit Panel Light

Project Name _____



PRODUCT SPECIFICATIONS

	Wattage	20 25 30
	Lumens	2500 3125 3750
	Color Temperature	3500K 4000K 5000K
	CRI	80+
	Beam Angles	110°
	Replaces	Fluorescent Troffer
	Voltage	100-277
	Dimming	1-10V
	Power Factor (PF)	50 / 60 hz
	Housing	Aluminum Frame
	Operating Temperature	-14°F to +104°F
	Rated Life	100,000 (L70) hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Chain-Cable Recessed
	Color Options	White



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 www.ledlightingsupply.com  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 2036

LLS-AL-BLP-2X2-30A-CC-EM-2P

20 / 25 / 30 Wattage Adjustable LED Backlit Panel Light

Project Name _____



⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
0	20	(\$11.34)	(\$56.68)
0	25	(\$14.17)	(\$70.85)
0	30	(\$17.00)	(\$85.02)

🔍 PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
MLLG-WD-LED-BARN-45-50	45	6300	140
MLLG-AG-LED-IMF-600-5-[Optic]-TR-[V] 600		84000	140



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 www.ledlightingsupply.com ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 2036