MLLG-WL-LED-HBLIN6-4-300-CC-HV

300 Watt LED Linear High Bay

Project Name



DETAILS

300 Watt 4-Foot LED Linear High Bay Light provides exceptional lighting solutions, combining efficiency and durability for various industrial and commercial applications.



Color Adjustable

OVERVIEW MLLG-WL-LED-HBLIN6-4-300-CC-HV	
Watts	300
Lumens	40800
Lumens Per Watt (Efficacy)	136
Color Temperature	4000K 5000K
Voltage	277V-480V



▶ PRODUCT DIMENSIONS

Product Dimensions	46.5 x 18.9 x 2.2 in
Product Weight	18 lbs



AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
300	2.50	1.25	1.08	0.63



MLLG-WL-LED-HBLIN6-4-300-CC-HV

300 Watt LED Linear High Bay

Project Name



WebID: 2111

PRODUCT SPECIFICATIONS		
	Watts	300
	Lumens	40800
	Color Temperature	4000K 5000K
	CRI	80+
	Replaces	1000 Watt Metal Halide
	Voltage	277-480
	Power Factor (PF)	.98
	THD	20% Max
	Dimming	0-10V
	Power Factor (PF)	50 / 60 hz
	Housing	Galvanized Rolled Iron
	Rated Life	200,000 (L70) hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Chain-Cable (std) Pendant Surface
	Color Options	White



MLLG-WL-LED-HBLIN6-4-300-CC-HV

300 Watt LED Linear High Bay

Project Name



♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
1000	300	\$396.76	\$1,983.80

PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-WL-LED-HBLIN6-170-CC-HV	170	23120	136
MLLG-WL-LED-HBLIN6-270-CC	200 230 270	31200 34700 39700	150
MLLG-WL-LED-HBLIN6-4-300-CC-HV	300	40800	136
MLLG-WL-LED-HBLIN6-4-400-CC	270 340 400	41600 50000 56100	150

