### MLLG-LED-CANLBR-100-CC

30 / 50 / 75 / 100 Watt Adjustable LED Canopy Light

Project Name



#### **DETAILS**

The CANLBR is an extremely versatile canopy light offering 3 color temperatures and 4 wattages that can be selected at the point of installation. Most customers surface mount this unit but it can also mount with the 3/4 inch NPT thread built into the back of the unit.



Color Adjustable



Wattage Adjustable



Motion Sensor

OVERVIEW SKU MLLG-LED-CANLBR-100-CC				
Watts	30   50   75   100			
Lumens	4200   7000   10500   14000			
Lumens Per Watt (Efficacy)	140			
Color Temperature	3000K   4000K   5000K			
Voltage	100V-277V			



Product Dimensions 12.7 in D X 3.5 in H

**Product Weight** 6 lbs



Watts		Current Amp Draw			
Walls	120V	240V	277V	480V	
30	0.25	0.13	0.11	0.06	
50	0.42	0.21	0.18	0.10	
75	0.63	0.31	0.27	0.16	
100	0.83	0.42	0.36	0.21	






















Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

# **MLLG-LED-CANLBR-100-CC**

30 / 50 / 75 / 100 Watt Adjustable LED Canopy Light

Project Name



PRODUCT SPECIFICATIONS				
	Watts	30   50   75   100		
	Lumens	4200   7000   10500   14000		
	Color Temperature	3000K   4000K   5000K		
	CRI	70+		
	Replaces	250 Watt Metal Halide   400 Watt Metal Halide		
	Voltage	100-277		
	Power Factor (PF)	> .90		
	THD	< 20%		
	Dimming	No		
	Power Factor (PF)	50-60Hz		
	IP Rating	IP65		
	IK Rating	IK08		
	Rated Life	100,000 (L70) hours		
	Certifications	DLC Premium   ETL Listed   ROHS		
	Warranty	5		
	Mount	Pendant   Surface		
	Color Options	White		



## **MLLG-LED-CANLBR-100-CC**

30 / 50 / 75 / 100 Watt Adjustable LED Canopy Light

Project Name



#### **♦ ENERGY SAVINGS**

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	30	\$209.72	\$1,048.58
400	50	\$198.38	\$991.90
400	75	\$184.21	\$921.05
400	100	\$170.04	\$850.20

## **♦ SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT**



