

# LLS-X-FDVT-165/135/105-CC

105 / 135 / 165 Wattage Adjustable LED Linear Vapor Tight NSF Light

Project Name \_\_\_\_\_



## DETAILS

165/135/105 Wattage Adjustable NSF LED Vapor Proof Linear fixture comes with an easy-to-clean, corrosion-resistant polycarbonate fixture housing. This unit comes with a standard surface mount kit. A suspension mount can be purchased separately. Certified by the National Sanitation Foundation (NSF) as safe for food service processing facilities that require a higher level of sanitation. By NSF certification, these fixtures are certified shatterproof.

✔ Color Adjustable    ✔ Wattage Adjustable    ✔ Motion Sensor    ✔ NSF Rated Food Grade

## OVERVIEW

SKU	LLS-X-FDVT-165/135/105-CC
Watts	105   135   165
Lumens	13650   17550   21450
Lumens Per Watt (Efficacy)	130
Color Temperature	3500K   4000K   5000K
Voltage	100V-277V



## PRODUCT DIMENSIONS

Product Weight 11.25 lbs

## AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
105	0.88	0.44	0.38	0.22
135	1.13	0.56	0.49	0.28
165	1.38	0.69	0.60	0.34



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 [www.ledlightingsupply.com](http://www.ledlightingsupply.com) ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 2132

# LLS-X-FDVT-165/135/105-CC

105 / 135 / 165 Wattage Adjustable LED Linear Vapor Tight NSF Light

Project Name \_\_\_\_\_



## PRODUCT SPECIFICATIONS

OPTICAL	Watts	105   135   165
	Lumens	13650   17550   21450
	Color Temperature	3500K   4000K   5000K
	CRI	80+
	Replaces	400 Watt Metal Halide
ELECTRICAL	Voltage	100-277
	Power Factor (PF)	.93
	THD	20% Max
	Dimming	1-10V
	Power Factor (PF)	50 / 60 hz
CONSTRUCTION	IP Rating	IP69K
	Rated Life	70,000 hours
	Certifications	DLC Premium   UL Listed   NSF Certified   ROHS
	Warranty	5
	Mount	Chain-Cable   Surface (std)
	Color Options	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 [www.ledlightingsupply.com](http://www.ledlightingsupply.com)  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 2132

# LLS-X-FDVT-165/135/105-CC

105 / 135 / 165 Wattage Adjustable LED Linear Vapor Tight NSF Light

Project Name \_\_\_\_\_



## ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	105	\$167.21	\$836.03
400	135	\$150.20	\$751.01
400	165	\$133.20	\$665.99



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 [www.ledlightingsupply.com](http://www.ledlightingsupply.com)  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 2132