## MLLG-AL-LED-CAN-70-CC

70 Watt Square LED Canopy Light

Project Name



#### **DETAILS**

70 watts and color adjustable 3000K | 4000K | 5000K LED canopy fixture. It is a vandal-proof fixture and comes with a powder-coated black aluminum heat sink housing that provides superior heat dissipation. It comes with a clear impact-resistant polycarbonate lens. Its wide beam angle lens provides wide distribution and coverage. The fixture is surface-mounted.



Color Adjustable



**Motion Sensor** 

OVERVIEW MILG-AL-LED-CAN-70-CC		
	WIELG AL ELD CAN 70 CG	
Watts	70	
Lumens	9930	
Lumens Per Watt (Efficacy)	142	
Color Temperature	3000K   4000K   5000K	
Voltage	100V-277V	



### **▶** PRODUCT DIMENSIONS

Product Dimensions	10 X 10 X 3 in
Product Weight	5 lbs













### AMP DRAW

Matte		Current An	np Draw	
Watts	120V	240V	277V	480V
70	0.58	0.29	0.25	0.15



# **MLLG-AL-LED-CAN-70-CC**

70 Watt Square LED Canopy Light

Project Name



WebID: 2151

PRODUCT SPECIFICATIONS		
Watts	70	
Lumens	9930	
Color Temperature	3000K   4000K   5000K	
CRI	70+	
Replaces	250 Watt Metal Halide	
Voltage	100-277	
Power Factor (PF)	.90	
THD	20% Max	
Dimming	1-10V	
Power Factor (PF)	50 / 60 hz	
IP Rating	IP65	
Rated Life	150,000 (L70) hours	
Certifications	Rebate Eligible   UL Listed   ROHS	
Warranty	5	
Mount	Pendant   Surface	
Color Options	Black	



## **MLLG-AL-LED-CAN-70-CC**

70 Watt Square LED Canopy Light

Project Name



### **♦ ENERGY SAVINGS**

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
250	70	\$102.02	\$510.12

### **○** PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-AL-LED-CAN-45-CC	45	6900	153
MLLG-AL-LED-CAN-70-CC	70	9930	142
MLLG-AL-LED-CAN-45-CC-EMB	45	6900	153

