

# MLLG-E-LED-EXPLC-200-50-[V]-C1D1

200 Watt Round Explosion Proof LED Light

Project Name \_\_\_\_\_



### DETAILS

Our C Series C1D1 Explosion Proof fixtures come in both 120-277v and 277-480v configurations. At 140 lumens per watt they are an efficient and safe solution for environments where ignitable materials are present.

Explosion Proof C1D1

OVERVIEW


SKU	MLLG-E-LED-EXPLC-200-50-[V]-C1D1
Wattage	200
Lumens	28000
Lumens Per Watt (Efficacy)	140
Color Temperature	5000K
Voltage	100V-277V   277V-480V

PRODUCT DIMENSIONS

Product Dimensions	16 x 13.5 in
Product Weight	39 lbs

UL SPECS

UL 844 Hazardous Locations
Class I, Division 1, Groups C,D
Class I, Division 2, Groups A, B, C, D
Class II, Division 1, Groups E, F, G
Class II, Division 2, Groups F, G
Class III
UL 1598 Suitable for Wet Locations
UL 1598A Marine Outside Type
ABS



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

[www.ledlightingsupply.com](http://www.ledlightingsupply.com) (888) 423-3191  
Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 2175

# MLLG-E-LED-EXPLC-200-50-[V]-C1D1

200 Watt Round Explosion Proof LED Light

Project Name \_\_\_\_\_



## PRODUCT SPECIFICATIONS

	<b>Wattage</b>	200
	<b>Lumens</b>	28000
	<b>Color Temperature</b>	5000K
	<b>CRI</b>	70+
	<b>Beam Angles</b>	120°
	<b>Replaces</b>	400 Watt Metal Halide
	<b>Voltage</b>	100-277   277-480
	<b>Power Factor (PF)</b>	>.95
	<b>THD</b>	< 10%
	<b>Dimming</b>	1-10V
	<b>Surge Protection</b>	10kV
	<b>Power Factor (PF)</b>	50-60Hz
	<b>Housing</b>	Copper Free Aluminum
	<b>IP Rating</b>	IP66
	<b>IK Rating</b>	IK10
	<b>Operating Temperature</b>	-40°F to 140°F
	<b>Rated Life</b>	50,000 (L70) hours
	<b>Certifications</b>	Rebate Eligible   ETL Listed   ROHS   CB
	<b>Warranty</b>	5
	<b>Mount</b>	Yoke   3/4 in NPT Pendant
	<b>Color Options</b>	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

[www.ledlightingsupply.com](http://www.ledlightingsupply.com) (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 2175

# MLLG-E-LED-EXPLC-200-50-[V]-C1D1

200 Watt Round Explosion Proof LED Light

Project Name \_\_\_\_\_



## ⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
400	200	\$113.36	\$566.80

## 🔍 PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
MLLG-E-LED-EXPLC-40-50-C1D1	40	5600	140
MLLG-E-LED-EXPLC-60-50-[V]-C1D1	60	8400	140
MLLG-E-LED-EXPLC-80-50-[V]-C1D1	80	11200	140
MLLG-E-LED-EXPLC-100-50-[V]-C1D1	100	14000	140
MLLG-E-LED-EXPLC-150-50-[V]-C1D1	150	21000	140
MLLG-E-LED-EXPLC-200-50-[V]-C1D1	200	28000	140
MLLG-E-LED-EXPLC-250-50-[V]-C1D1	250	35000	140



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 [www.ledlightingsupply.com](http://www.ledlightingsupply.com) ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID: 2175