LLS-SBHO4-90/120/150-CC

90 / 120 / 150 Watt Adjustable LED Shoebox Area Light

Project Name



DETAILS

90 | 120 | 150 Wattage Adjustable LED shoebox light - parking lot light has durable die-cast aluminum housing that is powder coated with strong anti-corrosion performance for years of maintenance-free lighting. This LED parking lot light has an optional photocell sensor that allows for further energy savings.



Color Adjustable



Wattage Adjustable



Motion Sensor



Photocell

| OVERVIEW LLS-SBHO4-90/120/150-C | | |
|----------------------------------|--------------------------------|--|
| Watts | 90 120 150 | |
| Lumens | 13950 18600 23250 | |
| Lumens Per Watt (Efficacy) | 155 | |
| Color Temperature | 3000K 4000K 5000K | |
| Voltage | 100V-277V 277V-480V Optional | |

▶ PRODUCT DIMENSIONS

| Product Dimensions | 18.31 in L X 13.15 in W X 2.64 in H |
|--------------------|-------------------------------------|
| Product Weight | 10 lbs |



| Watts | | Current Amp Draw | | | |
|-------|------|------------------|------|------|--|
| Walls | 120V | 240V | 277V | 480V | |
| 90 | 0.75 | 0.38 | 0.32 | 0.19 | |
| 120 | 1.00 | 0.50 | 0.43 | 0.25 | |
| 150 | 1.25 | 0.63 | 0.54 | 0.31 | |






















Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

LLS-SBHO4-90/120/150-CC

90 / 120 / 150 Watt Adjustable LED Shoebox Area Light

Project Name



| PRODUCT SPECIFICATIONS | | |
|------------------------|-----------------------|-------------------------------------|
| | Watts | 90 120 150 |
| | Lumens | 13950 18600 23250 |
| | Color Temperature | 3000K 4000K 5000K |
| | CRI | 70+ |
| | Beam Angles | Type 3 Standard, Type 4, 5 Optional |
| | Replaces | 400 Watt Metal Halide |
| | Voltage | 100-277 277-480 Optional |
| | Power Factor (PF) | > .92 |
| | THD | < 15% |
| | Dimming | No |
| | Surge Protection | 10kV line-earth |
| | Power Factor (PF) | 50-60Hz |
| | Housing | Die-Cast Aluminum |
| | IP Rating | IP65 |
| | IK Rating | IK08 |
| | Operating Temperature | -22°F to +122°F |
| | Rated Life | 100,000 (L70) hours |
| | Certifications | DLC Premium ETL Listed ROHS |
| | Warranty | 5 |
| | Mount | Yoke Slip Fitter Trunnion |
| | Color Options | Bronze |



LLS-SBHO4-90/120/150-CC

90 / 120 / 150 Watt Adjustable LED Shoebox Area Light

Project Name



♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

| Metal Halide Watts | LED Watts | 1 Year Energy Savings | 5 Year Energy Savings |
|--------------------|-----------|-----------------------|-----------------------|
| 400 | 90 | \$175.71 | \$878.54 |
| 400 | 120 | \$158.70 | \$793.52 |
| 400 | 150 | \$141.70 | \$708.50 |

PRODUCT FAMILY MODELS

| SKU | Watts | Lumens | Lumens/Watt |
|--------------------------|-------------|-------------------|-------------|
| LLS-SBHO4-90/120/150-CC | 90 120 150 | 13950 18600 23250 | 155 |
| LLS-SBHO4-180/240/300-CC | 180 240 300 | 27900 37200 46500 | 155 |

♦ SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT



