LLS-LN-BOL-3.5FT-24-CC

24 Watt LED Bollard Light

Project Name



DETAILS

Commercial LED Bollard Lights are landscaping pathway lights used to light pathways and walkways. They are mounted on the side of pathways to provide general lighting and a safe, well-lit path for pedestrians and foot traffic. Commercial LED Bollard Lights are low-powered outdoor lights mounted on short bollards, typically 24 to 48 inches high. Outdoor LED Bollard Lights are designed to shine the light in a pattern around them. They normally spread the light in a 360-degree pattern from the top of the fixture.



Color Adjustable

OVERVIEW		
SKU	LLS-LN-BOL-3.5FT-24-CC	
Wattage	24	
Lumens	3120	
Lumens Per Watt (Efficacy)	130	
Color Temperature		
Voltage	100V-277V	



Product Dimensions	42 in H X 6.3 in D
Product Weight	15.8 lbs



Wattago		Current Amp Draw		
Wattage	120V	240V	277V	480V
24	0.20	0.10	0.09	0.05







LLS-LN-BOL-3.5FT-24-CC

24 Watt LED Bollard Light

Project Name



PRODUCT SPECIFICATIONS		
	Wattage	24
	Lumens	3120
	CRI	80+
	Beam Angles	360°
	Replaces	125 Watt Metal Halide
	Voltage 100-277	
	Power Factor (PF)	> .90
	THD	< 20%
	Dimming	1-10V
	Power Factor (PF)	50-60Hz
	Housing	Die-Cast Aluminum
	Operating Temperature	-40°F to +104°F
	Rated Life	50,000 hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Ground
	Color Options	Bronze



LLS-LN-BOL-3.5FT-24-CC

24 Watt LED Bollard Light

Project Name



WebID: 2301

♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Wattage	LED Wattage	1 Year Energy Savings	5 Year Energy Savings
125	24	\$57.25	\$286.23

PRODUCT FAMILY MODELS

SKU	Wattage	Lumens	Lumens/Watt
MLLG-WD-LED-BARN-45-50	45	6300	140
MLLG-AG-LED-IMF-600-5-[Optic]-TR-[V]	600	84000	140

