LLS-EXPLC-70-5-C1D1

70 Watt Round Explosion Proof LED Light

Project Name _____



DETAILS

The LLS-EXPLC Models are compact round C1D1 LED lights that come with 3/4 inch pendant and yoke mounts standard. We also carry wall and surface mount brackets for these models. At 140 lumens per watt they are an efficient and safe replacement solution for environments where ignitable materials are present.

OVERVIEW			
SKU	LLS-EXPLC-70-5-C1D1		
Watts	70		
Lumens	9800		
Lumens Per Watt (Efficacy)	140		
Color Temperature	5000K		
Voltage	100V-277V		

₽ PRODUCT DIMENSIONS

Product Weight 20 lbs

♥ UL SPECS

Class 1 Division 1, Group B,C,D

Class 1 Division 2, Group B,C,D

Class 2, Division 1, Groups E,F,G

Class 2, Division 2, Groups F,G

















LLS-EXPLC-70-5-C1D1

70 Watt Round Explosion Proof LED Light

Project Name _____



PRODUCT SPECIFICATIONS				
OPTICAL	Watts	70		
	Lumens	9800		
	Color Temperature	5000K		
	CRI	70+		
	Replaces	250 Watt Metal Halide		
ELECTRICAL	Voltage	100-277		
	Power Factor (PF)	>.90		
	THD	< 10%		
	Dimming	1-10V		
	Power Factor (PF)	50-60Hz		
CONSTRUCTION	IP Rating	IP66		
	IK Rating	IK10		
	Operating Temperature	-40°F to 149°F		
	Rated Life	150,000 (L70) hours		
	Certifications	Rebate Eligible UL Listed ROHS CB		
	Warranty	5 or 10		
	Mount	Pendant Surface Wall Trunnion		
	Color Options	Gray		



LLS-EXPLC-70-5-C1D1

70 Watt Round Explosion Proof LED Light

Project Name _____



4 ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
250	70	\$102.02	\$510.12

PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
LLS-EXPLC-50-5-C1D1	50	7000	140
LLS-EXPLC-70-5-C1D1	70	9800	140

