LLS-X-WPSC-108A-CC-PC

63 / 90 / 108 Watt Adjustable Semi Cutoff LED Wall Pack

Project Name



DETAILS

63 | 90 | 108 Wattage adjustable and color adjustable 3000K | 4000K | 5000K LED semi-cutoff wall pack is a commercial-grade outdoor fixture. Its impact-resistant polycarbonate lens shields the fixture and helps to prevent glare. Years of trouble-free operation with durable die-cast housing and anti-static powder-coated paint. Dusk-to-dawn operation with the built-in photocell.



Color Adjustable



Wattage Adjustable



Photocell

OVERVIEW LLS-X-WPSC-108A-CC-P		
Watts	63 90 108	
Lumens	8800 12000 14500	
Lumens Per Watt (Efficacy)	134	
Color Temperature	3000K 4000K 5000K	
Voltage	100V-277V	

▶ PRODUCT DIMENSIONS

Product Dimensions	14.3 X 9.3 X 5.9 in
Product Weight	8 lbs















Watts		Current Amp Draw		
	120V	240V	277V	480V
63	0.53	0.26	0.23	0.13
90	0.75	0.38	0.32	0.19
108	0.90	0.45	0.39	0.23



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

LLS-X-WPSC-108A-CC-PC

63 / 90 / 108 Watt Adjustable Semi Cutoff LED Wall Pack

Project Name



WebID: 2489

PRODUCT SPECIFICATIONS		
	Watts	63 90 108
	Lumens	8800 12000 14500
	Color Temperature	3000K 4000K 5000K
	CRI	70+
	Replaces	400 Watt Metal Halide
	Voltage	100-277
	Power Factor (PF)	> .9
	THD	< 20%
	Dimming	No
	Power Factor (PF)	50-60Hz
	IP Rating	IP65
	Rated Life	50,000 (L70) hours
	Certifications	Rebate Eligible UL Listed ROHS
	Warranty	5
	Mount	Wall
	Color Options	Bronze



LLS-X-WPSC-108A-CC-PC

63 / 90 / 108 Watt Adjustable Semi Cutoff LED Wall Pack

Project Name



WebID: 2489

♦ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
400	63	\$191.01	\$955.06
400	90	\$175.71	\$878.54
400	108	\$165.51	\$827.53

PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
LLS-X-WPSC-63A-CC-PC	30 45 63	4200 6300 8800	134
LLS-X-WPSC-108A-CC-PC	63 90 108	8800 12000 14500	134

