



Commercial Lighting



Industrial Lighting



Sports Lighting

MLLG-LED-AIR-FLD Airport Flood Light Product Family



**Why
contractors
choose us**



Free Lighting
Plans to ensure
customer
satisfaction



Dedicated
Lighting
Specialist for
each project



Large
inventory of
LED Lights

Table of Contents

	Page Number
- MLLG-LED-AIR-FLD-150-50	3
- MLLG-LED-AIR-FLD-200-50	4
- MLLG-LED-AIR-FLD-400-50	5
- MLLG-LED-AIR-FLD-800-50	6

150 Watt LED Tarmac Light | 22500 Lumens | 5000K | 100-277V



Product Details

SKU: MLLG-LED-AIR-FLD-150-50

Web ID: 1503

MODULAR HIGH POWER 150 LED Airport Apron Lighting produces 22500 lumens at 150 lumens/watt replacing 400 Watt Metal Halide. Aluminum lighting bars are individually adjustable to avoid glare in the pilot's eyes as they pull up the gateway. All fixtures are equipped with a 1-10V dimmable driver. It comes in 100V-277V or 277V-480V PWM Drivers. These drivers maintain color temperature accuracy over the life of the product.

You can choose 3000K or 5000K color temperature. 25° 40° 60° 90° beam angles are available. Designed to control light spillage. Light is controlled - left and right throws and is dark sky compliant. This fixture has a Yoke / Trunnion mount. This fixture is Wet location IP66 rated and can operate in temperatures ranging from -13 F to 131 F.

Product Specifications

Watts:	150	Dimmable:	1-10V
Lumens:	22500	Beam Angle:	25° 40° 60° 90°
Lumens/Watt:	150	Frequency:	50/60 hz
Replaces:	400 Watt Metal Halide	Power Factor:	> .95
Color Temp:	3000K 5000K	THD:	< 15%
CRI:	80+	Mounting:	Trunnion
IP Rating:	IP66	Dimensions:	12X 10X 6
Input Voltage:	100V-277V 277V-480V	Weight:	13.2 lbs
Operating Temp:	-13°F to +131°F	Warranty:	5 years
Rated Life:	70,000 hours		

200 Watt LED Tarmac Light | 30000 Lumens | 5000K | 100-277V



Product Details

SKU: MLLG-LED-AIR-FLD-200-50

Web ID: 1504

MODULAR HIGH POWER 200 LED Airport Apron Lighting produces 30000 lumens at 150 lumens/watt replacing 400 Watt Metal Halide. Aluminum lighting bars are individually adjustable to avoid glare in the pilot's eyes as they pull up the gateway. All fixtures are equipped with a Yes dimmable driver. It comes in 100V-277V or 277V-480V PWM Drivers. These drivers maintain color temperature accuracy over the life of the product.

You can choose 3000K or 5000K color temperature. 25° 40° 60° 90° beam angles are available. Designed to control light spillage. Light is controlled - left and right throws and is dark sky compliant. This fixture has a Yoke / Trunnion mount. This fixture is Wet location IP66 rated and can operate in temperatures ranging from -13 F to 131 F.

Product Specifications

Watts:	200	Dimmable:	Yes
Lumens:	30000	Beam Angle:	25° 40° 60° 90°
Lumens/Watt:	150	Frequency:	50/60 hz
Replaces:	400 Watt Metal Halide	Power Factor:	> .95
Color Temp:	3000K 5000K	THD:	< 15%
CRI:	80+	Mounting:	Trunnion
IP Rating:	IP66	Dimensions:	16X 12X 6
Input Voltage:	100V-277V 277V-480V	Weight:	17.5 lbs
Operating Temp:	-13°F to +131°F	Warranty:	5 years
Rated Life:	70,000 hours		

400 Watt LED Tarmac Light | 52000 Lumens | 5000K | 100-277V



Product Details

SKU: MLLG-LED-AIR-FLD-400-50

Web ID: 1506

MODULAR HIGH POWER 400 LED Airport Apron Lighting produces 52000 lumens at 150 lumens/watt replacing 1000 Watt Metal Halide. Aluminum lighting bars are individually adjustable to avoid glare in the pilot's eyes as they pull up the gateway. All fixtures are equipped with a Yes dimmable driver. It comes in 100V-277V or 277V-480V PWM Drivers. These drivers maintain color temperature accuracy over the life of the product.

You can choose 3000K or 5000K color temperature. 25° 40° 60° 90° beam angles are available. Designed to control light spillage. Light is controlled - left and right throws and is dark sky compliant. This fixture has a Yoke / Trunnion mount. This fixture is Wet location IP66 rated and can operate in temperatures ranging from -13 F to 131 F.

Product Specifications

Watts:	400	Dimmable:	Yes
Lumens:	52000	Beam Angle:	25° 40° 60° 90°
Lumens/Watt:	150	Frequency:	50/60 hz
Replaces:	1000 Watt Metal Halide	Power Factor:	> .95
Color Temp:	3000K 5000K	THD:	< 15%
CRI:	80+	Mounting:	Trunnion
IP Rating:	IP66	Dimensions:	18X 16X 10
Input Voltage:	100V-277V 277V-480V	Weight:	28.5 lbs
Operating Temp:	-13°F to +131°F	Warranty:	5 years
Rated Life:	70,000 hours		

800 Watt LED Tarmac Light | 104000 Lumens | 5000K | 100-277V



Product Details

SKU: MLLG-LED-AIR-FLD-800-50

Web ID: 1508

MODULAR HIGH POWER 800 LED Airport Apron Lighting produces 104000 lumens at 150 lumens/watt replacing 2000 Watt Metal Halide. Aluminum lighting bars are individually adjustable to avoid glare in the pilot's eyes as they pull up the gateway. All fixtures are equipped with a Yes dimmable driver. It comes in 100V-277V or 277V-480V PWM Drivers. These drivers maintain color temperature accuracy over the life of the product.

You can choose 3000K or 5000K color temperature. 25° 40° 60° 90° beam angles are available. Designed to control light spillage. Light is controlled - left and right throws and is dark sky compliant. This fixture has a Yoke / Trunnion mount. This fixture is Wet location IP66 rated and can operate in temperatures ranging from -13 F to 131 F.

Product Specifications

Watts:	800	Dimmable:	Yes
Lumens:	104000	Beam Angle:	25° 40° 60° 90°
Lumens/Watt:	150	Frequency:	50/60 hz
Replaces:	2000 Watt Metal Halide	Power Factor:	> .95
Color Temp:	3000K 5000K	THD:	< 15%
CRI:	80+	Mounting:	Trunnion
IP Rating:	IP66	Dimensions:	20X 18X 12
Input Voltage:	100V-277V 277V-480V	Weight:	35 lbs
Operating Temp:	-13°F to +131°F	Warranty:	5 years
Rated Life:	70,000 hours		