

Commercial Lighting

Industrial Lighting

Sports Lighting

MLLG-LED-SC LED Sconce Product Family



Why contractors choose us ß

Free Lighting Plans to ensure customer satisfaction A Dedicated Lighting Specialist for each project Large inventory of LED Lights

Table of Contents

	Page Number
- MLLG-AL-LED-SCI-15-CC-SL-2P	3
- MLLG-AL-LED-SCI-15-CC-BZ-2P	4
- MLLG-AL-LED-WPSD-9-CC-BK-2P	5
- MLLG-AL-LED-WPUD-18-CC-BK-2P	6

View Product Page

LED LIGHTING SUPPLY

9 Watt LED Outdoor Wall Sconce | 1002 Lumens | 5000K | 120V | Black Finish



Product Details

SKU: MLLG-AL-LED-WPSD-9-CC-BK-2P

Web ID: 1778

9 Watt outdoor LED wall sconce produces 1002 lumens at 111 lumens/watt replacing 50 Watt Metal Halide providing optimal wall mount downlight. The fixture has a tempered glass cover cover. It comes with a 120V LED Driver. Color Temperature is 5000K.

High-quality internal reflector produces a Lense Beam Pattern. This fixture is mounted directly to a J-box on the wall. It is IP65 Wet location rated and can operate in temperatures ranging from -13 F to 113 F.

Product Specifications

Watts:	9	Dimmable:	No
Lumens:	1002	Beam Angle:	50°
Lumens/Watt:	111	Frequency:	50-60Hz
Replaces:	50 Watt Metal Halide	Power Factor:	> .9
Color Temp:	5000K	THD:	< 20%
CRI:	80+	Housing:	Die cast Aluminum body with protecting Glass lens.
IP Rating:	IP65	Fixture Color:	Black
Input Voltage:	120V	Mounting:	Wall
Operating Temp:	-13°F to +113°F	Dimensions:	7 1/8 in X 4 1/2 in X 11 13/16 in
Rated Life:	50,000 hours	Weight:	2.87 lbs
		Warranty:	5 years

View Product Page

LED LIGHTING SUPPLY

18 Watt LED Outdoor Wall Sconce | 1482 Lumens | 3000K | 5000K | 120 Volt



Product Details

SKU: MLLG-AL-LED-WPUD-18-CC-BK-2P

Web ID: 1660

18 Watt outdoor LED wall sconce produces 1482 lumens at 82 lumens/watt replaces 50 Watt Metal Halide providing optimal wall mount downlight. The fixture has a tempered glass cover cover. It comes with a 120V LED Driver. Color Temperature is 3000K or 5000K.

High-quality internal reflector produces a Lense Beam Pattern. This fixture is mounted directly to a J-box on the wall. It is IP65 Wet location rated and can operate in temperatures ranging from -13 F to 113 F.

Product Specifications

Watts:	18	Dimmable:	No
Lumens:	1482	Beam Angle:	50°
Lumens/Watt:	82	Frequency:	50-60Hz
Replaces:	50 Watt Metal Halide	Power Factor:	> .9
Color Temp:	3000K 5000K	THD:	< 20%
CRI:	80+	Housing:	Die cast Aluminum body with protecting Glass lens
IP Rating:	IP65	Fixture Color:	Black Bronze White
Input Voltage:	120V	Mounting:	Wall
Operating Temp:	-13°F to +113°F	Dimensions:	7 1/8 in X 4 1/2 in X 11 13/16 in
Rated Life:	50,000 hours	Weight:	2.87 lbs
		Warranty:	5 years

Product Options

Color Temperature 3000K 5000K **Fixture Finish** Bronze Black White

Product enhancements may result in specification changes without notice. Contact us for the latest information