



Commercial Lighting




Industrial Lighting



Sports Lighting

MLLG-LS-LED-SB3 Parking Lot Light Product Family



**Why
contractors
choose us**



Free Lighting
Plans to ensure
customer
satisfaction



Dedicated
Lighting
Specialist for
each project



Large
inventory of
LED Lights

Table of Contents

	Page Number
- MLLG-LS-LED-SB3-100-50	3
- MLLG-LS-LED-SB3-150-50-W	4
- MLLG-LS-LED-SB3-150-[Color]-[V]	5
- MLLG-LS-LED-SB3-200-50	6
- MLLG-LS-LED-SB3-300-50-W	7
- MLLG-LS-LED-SB3-300-[Color]-[V]	8
- MLLG-LS-LED-SB3-450-50-[V]	9

100 Watt LED Shoebox Light | 13000 Lumens | 5000K | 100-277V



Product Details

SKU: MLLG-LS-LED-SB3-100-50

Web ID: 1819

100 Watt shoebox light - parking lot light replaces 250 Watt Metal Halide and produces 13000 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V with 20 kVa Surge Protection.

Color Temperature is 5000K. The fixture comes in a dark BRONZE finish. There is also a photocell you can order if you want dusk-to-dawn operation. This fixture can be pole post or wall mounted using the following brackets: Yoke or Arm or Slip Fitter. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -40 F to 113 F.

Product Specifications

Watts:	100	Dimmable:	1-10V
Lumens:	13000	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	250 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V	Fixture Color:	Bronze
Operating Temp:	-40°F to +113°F	Mounting:	Yoke Arm Slip Fitter
Rated Life:	50,000 (L70) hours	EPA Rating:	1.3
		Dimensions:	20.19 in L X 13.11 in W X 6.61 in H
		Weight:	12 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter Mount
Arm Mount
Yoke Mount

150 Watt LED Shoebox Area Light | 19500 Lumens | 5000K | 100-277V | White



Product Details

SKU: MLLG-LS-LED-SB3-150-50-W

Web ID: 1585

150 Watt shoebox light - parking lot light replaces 400 Watt Metal Halide and produces 19500 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V with 20 kVa Surge Protection.

Color Temperature is 5000K. The fixture comes in a WHITE finish. There is also a photocell you can order if you want dusk-to-dawn operation. This fixture can be pole post or wall mounted using the following brackets: Arm or Slip Fitter. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -40 F to 113 F.

Product Specifications

Watts:	150	Dimmable:	1-10V
Lumens:	19500	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	400 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V	Fixture Color:	White
Operating Temp:	-40°F to +113°F	Mounting:	Arm Slip Fitter
Rated Life:	50,000 (L70) hours	EPA Rating:	1.3
		Dimensions:	20.19 in L X 13.11 in W X 6.61 in H
		Weight:	12 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter Mount
Arm Mount
Trunnion Mount

150 Watt LED Shoebox Light | 19500 Lumens | 4000K or 5000K



Product Details

SKU: MLLG-LS-LED-SB3-150-[Color]-[V]

Web ID: 1583

150 Watt shoebox light - parking lot light replaces 400 Watt Metal Halide and produces 19500 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V or 277V-480V with 20 kVa Surge Protection.

Color Temperature is 4000K or 5000K. The fixture comes in a dark BRONZE finish. There is also a photocell you can order if you want dusk-to-dawn operation. This fixture can be pole post or wall mounted using the following brackets: Yoke or Arm or Slip Fitter. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -40 F to 113 F.

Product Specifications

Watts:	150	Dimmable:	1-10V
Lumens:	19500	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	400 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	4000K 5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V 277V-480V	Fixture Color:	Bronze
Operating Temp:	-40°F to +113°F	Mounting:	Yoke Arm Slip Fitter
Rated Life:	50,000 (L70) hours	EPA Rating:	1.3
		Dimensions:	20.19 in L X 13.11 in W X 6.61 in H
		Weight:	12 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter Mount
Arm Mount
Yoke Mount

200 Watt LED Shoebox Light | 26000 Lumens | 5000K | 100-277V



Product Details

SKU: MLLG-LS-LED-SB3-200-50

Web ID: 2138

200 Watt shoebox light - parking lot light replaces 400 Watt Metal Halide and produces 26000 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V or 277V-480V Optional with 20 kVa Surge Protection. Color Temperature is 5000K. The fixture comes in dark BRONZE finish.

There is also a photocell you can order if you want dusk to dawn operation. This fixture can be pole post or wall mounted using the following brackets: Arm or Slip Fitter. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -40 F to 113 F.

Product Specifications

Watts:	200	Dimmable:	1-10V
Lumens:	26000	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	400 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V 277V-480V Optional	Fixture Color:	Bronze
Operating Temp:	-40°F to +113°F	Mounting:	Arm Slip Fitter
Rated Life:	50,000 (L70) hours	EPA Rating:	2.1
		Dimensions:	27 in L X 13.11 in W X 6.61 in H
		Weight:	17 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter
Trunnion
Arm

300 Watt LED Shoebox Light | 39000 Lumens | 5000K | 100-277V | White

Product Details

SKU: MLLG-LS-LED-SB3-300-50-W

Web ID: 1586

300 Watt shoebox light - parking lot light replaces 1000 Watt Metal Halide and produces 39000 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V with 20 kVa Surge Protection.

Color Temperature is 5000K. The fixture comes in a white finish. There is also a photocell you can order if you want dusk-to-dawn operation. This fixture can be pole post or wall mounted using the following brackets: Arm or Slip Fitter. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -40 F to 113 F.



Product Specifications

Watts:	300	Dimmable:	1-10V
Lumens:	39000	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	1000 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V	Fixture Color:	White
Operating Temp:	-40°F to +113°F	Mounting:	Arm Slip Fitter
Rated Life:	50,000 (L70) hours	EPA Rating:	2.1
		Dimensions:	27 in L X 13.11 in W X 6.61 in H
		Weight:	17 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter Mount
Arm Mount
Trunnion Mount

300 Watt LED Shoebox Light | 39000 Lumens | 4000K or 5000K



Product Details

SKU: MLLG-LS-LED-SB3-300-[Color-[V]

Web ID: 1584

300 Watt shoebox light - parking lot light replaces 1000 Watt Metal Halide and produces 39000 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V or 277V-480V with 20 kVa Surge Protection. Color Temperature is 4000K or 5000K. The fixture comes in a dark BRONZE finish.

There is also a photocell you can order if you want the dusk-to-dawn operation. This fixture can be pole post or wall mounted using the following brackets: Arm or Slip Fitter. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -40 F to 113 F.

Product Specifications


Watts:	300	Dimmable:	1-10V
Lumens:	39000	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	1000 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	4000K 5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V 277V-480V	Fixture Color:	Bronze
Operating Temp:	-40°F to +113°F	Mounting:	Arm Slip Fitter
Rated Life:	50,000 (L70) hours	EPA Rating:	2.1
		Dimensions:	27 in L X 13.11 in W X 6.61 in H
		Weight:	17 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter
Trunnion
Arm

450 Watt LED Shoebox Light | 58500 Lumens | Type 3 | 5000K



Product Details

SKU: MLLG-LS-LED-SB3-450-50-[V]

Web ID: 1883

450 Watt shoebox light - parking lot light replaces 1000 Watt Metal Halide and produces 58500 lumens at 130 lumens/watt and has durable die-cast aluminum housing and stainless steel hardware. The standard optic is Type 3 - perfect for parking lots. It comes with a 1-10V dimmable driver at 100V-277V or 277V-480V with 20 kVa Surge Protection. Color Temperature is 5000K. The fixture comes in a dark BRONZE finish.

This LED Outdoor Light fixture can be mounted using the following brackets: Arm or Slip Fitter or Trunnion. This fixture is IP65 Wet location rated and can operate in temperatures ranging from -4 F to 104 F.

Product Specifications

Watts:	450	Dimmable:	1-10V
Lumens:	58500	Beam Angle:	Type 3
Lumens/Watt:	130	Optics:	Polycarbonate Lens
Replaces:	1000 Watt Metal Halide	Frequency:	50-60Hz
Color Temp:	5000K	Power Factor:	.9
CRI:	70+	THD:	15%
IP Rating:	IP65	Housing:	Die-Cast Aluminum
Input Voltage:	100V-277V 277V-480V	Fixture Color:	Bronze
Operating Temp:	-4°F to +104°F	Mounting:	Arm Slip Fitter Trunnion
Rated Life:	50,000 (L70) hours	EPA Rating:	.75 [ARM Mount]
		Dimensions:	36 in L X 13 in W X 3.7 in H
		Weight:	25 lbs
		Warranty:	5 years

Product Options

Mounting

Slipfitter
Slip Fitter
Trunnion
Arm