



Commercial Lighting



Industrial Lighting



Sports Lighting

MLLG Light Pole WD Product Family



**Why
contractors
choose us**



Free Lighting
Plans to ensure
customer
satisfaction



Dedicated
Lighting
Specialist for
each project



Large
inventory of
LED Lights

Table of Contents

	Page Number
- MLLG-POLE-WD-20-C1-T-SYP	3
- MLLG-POLE-WD-20-C2-T-SYP	4
- MLLG-POLE-WD-20-C3-T-SYP	5
- MLLG-POLE-WD-20-C4-T-SYP	6
- MLLG-POLE-WD-20-C5-T-SYP	7
- MLLG-POLE-WD-20-C6-T-SYP	8
- MLLG-POLE-WD-25-C1-T-SYP	9
- MLLG-POLE-WD-25-C2-T-SYP	10
- MLLG-POLE-WD-25-C3-T-SYP	11
- MLLG-POLE-WD-25-C4-T-SYP	12
- MLLG-POLE-WD-25-C5-T-SYP	13
- MLLG-POLE-WD-25-C6-T-SYP	14
- MLLG-POLE-WD-30-C1-T-SYP	15
- MLLG-POLE-WD-30-C2-T-SYP	16
- MLLG-POLE-WD-30-C3-T-SYP	17
- MLLG-POLE-WD-30-C4-T-SYP	18
- MLLG-POLE-WD-30-C5-T-SYP	19
- MLLG-POLE-WD-30-C6-T-SYP	20
- MLLG-POLE-WD-35-C1-T-SYP	21
- MLLG-POLE-WD-35-C2-T-SYP	22
- MLLG-POLE-WD-35-C3-T-SYP	23
- MLLG-POLE-WD-35-C4-T-SYP	24
- MLLG-POLE-WD-35-C5-T-SYP	25
- MLLG-POLE-WD-35-C6-T-SYP	26
- MLLG-POLE-WD-40-C1-T-SYP	27
- MLLG-POLE-WD-40-C2-T-SYP	28

20 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-20-C1-T-SYP

Web ID: 2216

Our 20 Foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs of lights per arm. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	600-800 lbs	Min Circumference At Pole Top:	27 inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	31 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

20 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-20-C2-T-SYP

Web ID: 2217

Our 20 Foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs of lights per arm. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	550-650 lbs	Min Circumference At Pole Top:	25 inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	29 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

20 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-20-C3-T-SYP

Web ID: 2218

Our 20 Foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs of lights per arm. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	500-600 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	27 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

20 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-20-C4-T-SYP

Web ID: 2219

Our 20 Foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs of lights per arm. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	450-550 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	25 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

20 Foot Wood Pole | Class 5 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-20-C5-T-SYP

Web ID: 2220

Our 20 Foot Class 5 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs of lights per arm. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	400-500 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	23 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

20 Foot Wood Pole | Class 6 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-20-C6-T-SYP

Web ID: 2221

Our 20 Foot Class 6 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs of lights per arm. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	300-400 lbs	Min Circumference At Pole Top:	17 inches
ANSI Class:	6	Min Circumference 6 Feet From Butt:	21 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

25 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-25-C1-T-SYP

Web ID: 2222

Our 25 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 25 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 25 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	770-920 lbs	Min Circumference At Pole Top:	27 inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	33.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

25 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-25-C2-T-SYP

Web ID: 2223

Our 25 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 25 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 25 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	670-790 lbs	Min Circumference At Pole Top:	25 inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	31.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

25 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-25-C3-T-SYP

Web ID: 2224

Our 25 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 25 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 25 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	580-690 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	29.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

25 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-25-C4-T-SYP

Web ID: 2225

Our 25 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 25 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 25 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	510-600 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	27.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

25 Foot Wood Pole | Class 5 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-25-C5-T-SYP

Web ID: 2226

Our 25 foot Class 5 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 25 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 25 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	440-520 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	25.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

25 Foot Wood Pole | Class 6 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-25-C6-T-SYP

Web ID: 2227

Our 25 foot Class 6 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 25 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 25 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 1 light arms per side 2 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	370-440 lbs	Min Circumference At Pole Top:	17 inches
ANSI Class:	6	Min Circumference 6 Feet From Butt:	23 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

30 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-30-C1-T-SYP

Web ID: 2228

Our 30 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 30 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 30 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 2 light arms per side 4 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	3
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1000-1200 lbs	Min Circumference At Pole Top:	27 inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	36.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

30 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-30-C2-T-SYP

Web ID: 2229

Our 30 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 30 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 30 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 2 light arms per side 4 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	3
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	900-1070 lbs	Min Circumference At Pole Top:	25 inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	34 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

30 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-30-C3-T-SYP

Web ID: 2230

Our 30 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 30 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 30 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 2 light arms per side 4 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	3
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	770-920 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	32 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

30 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-30-C4-T-SYP

Web ID: 2231

Our 30 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 30 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 30 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 2 light arms per side 4 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	3
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	670-795 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	29.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

30 Foot Wood Pole | Class 5 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-30-C5-T-SYP

Web ID: 2232

Our 30 foot Class 5 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 30 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 30 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 2 light arms per side 4 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	5
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	3
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	580-690 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	27.5 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

30 Foot Wood Pole | Class 6 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-30-C6-T-SYP

Web ID: 2233

Our 30 foot Class 6 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. 30 ft utility poles are treated to the latest American Wood Preservers Association standards to prevent decay and damage from insects.

Our 30 foot wood poles are the perfect length for tennis courts and parking lots outside stores. You can add 2 light arms per side 4 in total. Each arm can accommodate 240 lbs per arm. One of the benefits of wood poles includes a long life span.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Crossarm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the crossarms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a forklift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at the time of delivery.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days to your delivery location.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	5
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	3
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	510-605 lbs	Min Circumference At Pole Top:	17 inches
ANSI Class:	6	Min Circumference 6 Feet From Butt:	25 inches
Species:	Southern Yellow Pine	Warranty:	1 year
Treatment:	CCA		

35 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-35-C1-T-SYP

Web ID: 2235

Our 35 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 35 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1320-1570 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	39 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

35 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-35-C2-T-SYP

Web ID: 2236

Our 35 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 35 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1100-1360 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	36.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

35 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-35-C3-T-SYP

Web ID: 2237

Our 35 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 35 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	985-1165 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	34 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

35 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-35-C4-T-SYP

Web ID: 2238

Our 35 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 35 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	865-1020 lbs	Min Circumference At Pole Top:	21 Inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	31.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

35 Foot Wood Pole | Class 5 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-35-C5-T-SYP

Web ID: 2239

Our 35 foot Class 5 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 35 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	740-875 lbs	Min Circumference At Pole Top:	19 Inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	29 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

35 Foot Wood Pole | Class 6 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-35-C6-T-SYP

Web ID: 2240

Our 35 foot Class 6 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 35 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	635-750 lbs	Min Circumference At Pole Top:	14 Inches
ANSI Class:	6	Min Circumference 6 Feet From Butt:	27 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

40 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-40-C1-T-SYP

Web ID: 2241

Our 40 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 40 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1640-1940 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	41 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

40 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-40-C2-T-SYP

Web ID: 2242

Our 40 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 40 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1430-1690 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	38,5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

40 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-40-C3-T-SYP

Web ID: 2243

Our 40 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 40 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1235-1460 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	36 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

40 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-40-C4-T-SYP

Web ID: 2244

Our 40 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 40 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1080-1270 lbs	Min Circumference At Pole Top:	21 Inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	33.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

40 Foot Wood Pole | Class 5 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-40-C5-T-SYP

Web ID: 2245

Our 40 foot Class 5 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 40 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	935-1100 lbs	Min Circumference At Pole Top:	19 Inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	31 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

45 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-45-C1-T-SYP

Web ID: 2246

Our 45 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 45 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1990-2330 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	43 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

45 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-45-C2-T-SYP

Web ID: 2247

Our 45 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 45 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1715-2020 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	40.53 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

45 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-45-C3-T-SYP

Web ID: 2248

Our 45 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 45 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1485-1750 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	37.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

45 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-45-C4-T-SYP

Web ID: 2249

Our 45 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 45 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1290-1520 lbs	Min Circumference At Pole Top:	21 Inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	35 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

50 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-50-C1-T-SYP

Web ID: 2250

Our 50 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 50 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	50 ft	Max Total Cross Arms:	2-4
Height Above Ground:	43 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2350-2770 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	45 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

50 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-50-C2-T-SYP

Web ID: 2251

Our 50 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 50 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	50 ft	Max Total Cross Arms:	2-4
Height Above Ground:	43 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2000-2400 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	42 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

50 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-50-C3-T-SYP

Web ID: 2252

Our 50 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 50 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	50 ft	Max Total Cross Arms:	2-4
Height Above Ground:	43 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1760-2100 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	39 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

50 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-50-C4-T-SYP

Web ID: 2253

Our 50 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 50 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	50 ft	Max Total Cross Arms:	2-4
Height Above Ground:	43 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1535-1815 lbs	Min Circumference At Pole Top:	21 Inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	36.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

55 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-55-C1-T-SYP

Web ID: 2254

Our 55 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 55 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	55 ft	Max Total Cross Arms:	2-4
Height Above Ground:	47.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2730-3230 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	46.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

55 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-55-C2-T-SYP

Web ID: 2255

Our 55 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 55 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	55 ft	Max Total Cross Arms:	2-4
Height Above Ground:	47.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2385-2815 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	43.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

55 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-55-C3-T-SYP

Web ID: 2256

Our 55 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 55 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	55 ft	Max Total Cross Arms:	2-4
Height Above Ground:	47.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2070-2440 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	40.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

55 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-55-C4-T-SYP

Web ID: 2257

Our 55 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 55 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-2 light arms per side 2-4 in total but no more than 2 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-4 per pole 1-2 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	55 ft	Max Total Cross Arms:	2-4
Height Above Ground:	47.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	7.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1785-2100 lbs	Min Circumference At Pole Top:	21 Inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	38 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

60 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-60-C1-T-SYP

Web ID: 2258

Our 60 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 60 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	60 ft	Max Total Cross Arms:	2-4
Height Above Ground:	52 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	3160-3730 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	48 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

60 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-60-C2-T-SYP

Web ID: 2259

Our 60 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 60 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	60 ft	Max Total Cross Arms:	2-4
Height Above Ground:	52 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2750-3200 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	45 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

60 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-60-C3-T-SYP

Web ID: 2260

Our 60 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 60 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	60 ft	Max Total Cross Arms:	2-4
Height Above Ground:	52 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2370-2800 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	42 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

60 Foot Wood Pole | Class 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-60-C4-T-SYP

Web ID: 2261

Our 60 foot Class 4 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 60 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	60 ft	Max Total Cross Arms:	2-4
Height Above Ground:	52 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2050-2420 lbs	Min Circumference At Pole Top:	21 Inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	39 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

65 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-65-C1-T-SYP

Web ID: 2262

Our 65 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 65 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	65 ft	Max Total Cross Arms:	2-4
Height Above Ground:	56.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	3590-4230 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	49.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

65 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-65-C2-T-SYP

Web ID: 2263

Our 65 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 65 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	65 ft	Max Total Cross Arms:	2-4
Height Above Ground:	56.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	3100-3670 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	46.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

65 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-65-C3-T-SYP

Web ID: 2264

Our 65 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 65 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	65 ft	Max Total Cross Arms:	2-4
Height Above Ground:	56.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	8.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	2700-3200 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	43.5 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

70 Foot Wood Pole | Class 1 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-70-C1-T-SYP

Web ID: 2265

Our 70 foot Class 1 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 70 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	70 ft	Max Total Cross Arms:	2-4
Height Above Ground:	61 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	9 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	4000-4800 lbs	Min Circumference At Pole Top:	27 Inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	51 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

70 Foot Wood Pole | Class 2 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-70-C2-T-SYP

Web ID: 2266

Our 70 foot Class 2 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 70 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	70 ft	Max Total Cross Arms:	2-4
Height Above Ground:	61 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	9 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	3500-4200 lbs	Min Circumference At Pole Top:	25 Inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	48 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

70 Foot Wood Pole | Class 3 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-70-C3-T-SYP

Web ID: 2267

Our 70 foot Class 3 CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are treated with preservatives to the latest American Wood Preservers Association standards to ensure rot and decay prevention. The long term durability of a wood utility pole is one of its main benefits

These 70 ft wood poles are perfect for sports fields baseball fields or used as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm can accommodate 240 lbs per arm. The number of arms and lights depends on the class of the utility pole you select. The pole length will determine how significant the taper is as with all timber utility poles.

Options Available:

Cross Arms (2-6 per pole 1-3 per side) and Mounting Brackets. The customer is responsible for mounting Cross Arm after the poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a standard flatbed truck depending on pole lengths and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery. Installation should be done by a trained professional.

Pricing: Does not include price of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	70 ft	Max Total Cross Arms:	2-4
Height Above Ground:	61 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	9 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	3000-3600 lbs	Min Circumference At Pole Top:	23 Inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	45 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

50 Foot Wooden Pole | Class 1 Through 4 | Treated | Southern Yellow Pine



Product Details

SKU: MLLG-POLE-WD-50-[CL]-T-SYP

Web ID: 1967

Our CCA Treated Southern Yellow Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are preservative-treated to the latest American Wood Preservers Association standards to prevent damage from insects decay and rot regardless of the species used.

These 50 ft wood poles are perfect for sports fields horse arenas and as utility poles. You can add 1-3 light arms per side 2-6 in total but no more than 3 per side. Each arm is strong enough to accommodate 240 lbs per arm. The number of light arms per side depends on the class of pole you select. This wood pole will provide superior strength to handle equipment loads for decades when used as a utility pole. Our poles are available in a variety of classes and lengths for nearly any project type. This makes working with us for your next pole project an easy choice. The length of the pole will determine how thick it will be to ensure safety and reliability.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Options Available:

Cross Arms (up to 2-6 per pole 1-3 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload - customer supplied. Customer is responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment available at time of delivery.

Product Specifications

Pole Height:	50 ft	Max Total Cross Arms:	2-6
Height Above Ground:	43 ft	Max Total Cross Arms Per Side:	1-3
Buried Depth Below Ground:	7 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1450 - 2770 lbs	Min Circumference At Pole Top:	19 to 27 Inches
ANSI Class:	1,2,3,4	Min Circumference 6 Feet From Butt:	34 to 45 Inches
Species:	Southern Yellow Pine	Warranty:	1 Year
Treatment:	CCA		

20 Foot Wood Pole | Class 5 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-20-C5-T-WYP

Web ID: 2185

Our CCA Treated 20 Foot Wood Pole Class 5 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 2 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	200-300 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	25 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

20 Foot Wood Pole | Class 6 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-20-C6-T-WYP

Web ID: 2190

Our CCA Treated 20 Foot Wood Pole Class 6 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 20 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 2 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	20 ft	Max Total Cross Arms:	2
Height Above Ground:	16 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	200-300 lbs	Min Circumference At Pole Top:	17 inches
ANSI Class:	6	Min Circumference 6 Feet From Butt:	23 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

25 Foot Wood Pole | Class 5 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-25-C5-T-WYP

Web ID: 2191

Our CCA Treated 25 Foot Wood Pole Class 5 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 25 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 2 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	280-330 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	28 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

25 Foot Wood Pole | Class 6 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-25-C6-T-WYP

Web ID: 2192

Our CCA Treated 25 Foot Wood Pole Class 6 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 25 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 2 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (2 per pole 1 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	25 ft	Max Total Cross Arms:	2
Height Above Ground:	20.5 ft	Max Total Cross Arms Per Side:	1
Buried Depth Below Ground:	4.4 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	240-290 lbs	Min Circumference At Pole Top:	14 inches
ANSI Class:	6	Min Circumference 6 Feet From Butt:	25.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

30 Foot Wood Pole | Class 3 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-30-C3-T-WYP

Web ID: 2193

Our CCA Treated 30 Foot Wood Pole Class 3 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 30 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	2-4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	500-590 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	35 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

30 Foot Wood Pole | Class 4 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-30-C4-T-WYP

Web ID: 2194

Our CCA Treated 30 Foot Wood Pole Class 4 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 30 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	2-4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	430-505 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	32.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

30 Foot Wood Pole | Class 5 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-30-C5-T-WYP

Web ID: 2195

Our CCA Treated 30 Foot Wood Pole Class 5 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 30 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	30 ft	Max Total Cross Arms:	2-4
Height Above Ground:	25 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	375-450 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	30 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

35 Foot Wood Pole | Class 2 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-35-C2-T-WYP

Web ID: 2196

Our CCA Treated 35 Foot Wood Pole Class 2 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 35 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	730 - 860 lbs	Min Circumference At Pole Top:	25 inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	40 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

35 Foot Wood Pole | Class 3 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-35-C3-T-WYP

Web ID: 2197

Our CCA Treated 35 Foot Wood Pole Class 3 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 35 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	630 - 750 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	37 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

35 Foot Wood Pole | Class 4 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-35-C4-T-WYP

Web ID: 2198

Our CCA Treated 35 Foot Wood Pole Class 4 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 35 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	540 - 640 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	34.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

35 Foot Wood Pole | Class 5 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-35-C5-T-WYP

Web ID: 2199

Our CCA Treated 35 Foot Wood Pole Class 5 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 35 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	35 ft	Max Total Cross Arms:	2-4
Height Above Ground:	29.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	5.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	480 - 570 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	32 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

40 Foot Wood Pole | Class 1 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-40-C1-T-WYP

Web ID: 2200

Our CCA Treated 40 Foot Wood Pole Class 1 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 40 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1000-1200 lbs	Min Circumference At Pole Top:	27 inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	45 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

40 Foot Wood Pole | Class 2 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-40-C2-T-WYP

Web ID: 2201

Our CCA Treated 40 Foot Wood Pole Class 2 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 40 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	900-1080 lbs	Min Circumference At Pole Top:	25 inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	42.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

40 Foot Wood Pole | Class 3 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-40-C3-T-WYP

Web ID: 2202

Our CCA Treated 40 Foot Wood Pole Class 3 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 40 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	775-925 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	39.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

40 Foot Wood Pole | Class 4 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-40-C4-T-WYP

Web ID: 2203

Our CCA Treated 40 Foot Wood Pole Class 4 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 40 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	675-800 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	36.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

40 Foot Wood Pole | Class 5 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-40-C5-T-WYP

Web ID: 2204

Our CCA Treated 40 Foot Wood Pole Class 5 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 40 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	40 ft	Max Total Cross Arms:	2-4
Height Above Ground:	34 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	600-710 lbs	Min Circumference At Pole Top:	19 inches
ANSI Class:	5	Min Circumference 6 Feet From Butt:	34 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

45 Foot Wood Pole | Class 1 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-45-C1-T-WYP

Web ID: 2205

Our CCA Treated 45 Foot Wood Pole Class 1 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 45 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1225-1450 lbs	Min Circumference At Pole Top:	27 inches
ANSI Class:	1	Min Circumference 6 Feet From Butt:	47.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

45 Foot Wood Pole | Class 2 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-45-C2-T-WYP

Web ID: 2206

Our CCA Treated 45 Foot Wood Pole Class 2 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 45 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	1000-1270 lbs	Min Circumference At Pole Top:	25 inches
ANSI Class:	2	Min Circumference 6 Feet From Butt:	44.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

45 Foot Wood Pole | Class 3 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-45-C3-T-WYP

Web ID: 2207

Our CCA Treated 45 Foot Wood Pole Class 3 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 45 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	930-1100 lbs	Min Circumference At Pole Top:	23 inches
ANSI Class:	3	Min Circumference 6 Feet From Butt:	41.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information

45 Foot Wood Pole | Class 4 | Treated | Ponderosa Pine



Product Details

SKU: LLS-POLE-WD-45-C4-T-WYP

Web ID: 2208

Our CCA Treated 45 Foot Wood Pole Class 4 Treated Ponderosa Pine Poles are grown debarked and treated in the United States. They are manufactured to ANSI O5.1 specification. Poles are pressure treated and preservative treated to the latest American Wood Preservers Association standards to prevent damage from termites decay and rot regardless of the species used.

Our 45 ft round wood poles are perfect for sports fields baseball fields and a utility pole project. You can add up to 4 light arms per pole. Each arm can accommodate 240 lbs per arm. Number of arms and lights depends on the class of pole you select. The class will determine the diameter at the base. Availability can change based on the quantity and length required as different sizes can have different lead times. Our poles are built with durability in mind to ensure long-lasting performance.

Options Available:

Cross Arms (4 per pole 2 per side) and Mounting Brackets. Customer is responsible for mounting Cross Arm after poles are delivered. Poles do not ship with cross arms attached.

These are the lights we typically mount on the cross arms. Up to 6 lights per arm not to exceed 240 total pounds of fixtures and hardware.

Delivery is made with a flatbed truck and the customer is responsible for offloading. Offloading requires a fork lift or appropriate similar vehicle to offload customer supplied. Customers are responsible for any costs associated with delivery rescheduling because of improper scheduling or not having the proper offloading equipment or area to store poles available at the time of delivery. Please contact a sales representative prior to purchasing to ensure all the project details are clear.

Pricing: Does not include cost of shipping. Shipping is available to the lower 48 USA states. We can supply a budgetary shipping quote or a firm shipping quote that is good for 14 days.

Product Specifications

Pole Height:	45 ft	Max Total Cross Arms:	2-4
Height Above Ground:	38.5 ft	Max Total Cross Arms Per Side:	1-2
Buried Depth Below Ground:	6.5 ft	Max Attached Weight Per Cross Arm:	240 lbs
Weight Range:	800-970 lbs	Min Circumference At Pole Top:	21 inches
ANSI Class:	4	Min Circumference 6 Feet From Butt:	38.5 inches
Species:	Ponderosa Pine	Warranty:	1 year
Treatment:	CCA		

Product enhancements may result in specification changes without notice. Contact us for the latest information